

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	43	((general ADJ purpose ADJ register\$1 OR GPR\$1) near5 (secur\$3)) AND (secur\$3 near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:46
L2	55	((general near2 register \$1) OR GPR\$1) WITH ((secur \$3) near5 (bit \$1 OR flag\$4 OR indicat\$3 OR tag\$4 OR mark\$3 OR identif\$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:46
L3	676	((register\$1)) near5 ((secur \$3) near3 (bit \$1 OR flag\$4 OR indicat\$3 OR tag\$4 OR mark\$3 OR identif\$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:47
L4	1778	(711/163). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 14:47
L5	34	L3 AND L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:47

L6	21	((instruct\$3 OR command\$3) near5 (fetch\$3 OR load\$3)) WITH (determin \$3 OR indicat \$3 OR establish \$3) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM OR ROM)) WITH address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:47
L7	18	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicator\$1)) WITH (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:48
L8	73	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status OR flag\$1 OR indicator\$1)) SAME (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:48

L9	12	(context ADJ switch\$3) SAME stack\$1 SAME (RAM OR SDRAM OR SRAM OR DRAM) SAME interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:49
L10	407	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR program\$4) near3 (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:49
L11	1778	(711/163). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 14:49
L12	6	L10 AND L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:49
L13	42	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) SAME ((debug\$4 OR (error near3 (correct\$3 OR fix\$3))) WITH (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:49

L14	20	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicat\$3)) WITH (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:51
L15	1	(arithmetic near5 (operation\$1 OR instruction \$1)) SAME (((status ADJ register\$1)) WITH ((secur \$3 OR protect \$3 OR restrict \$3 OR prohibit \$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:52
L16	1	((((status ADJ register\$1) near5 (unchang \$3)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:52

L17	1	(((status ADJ register\$1) near5 (unchang \$3 OR original \$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless \$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:52
L18	24	(((register\$1) near5 (unchang \$3 OR original \$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless \$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:52
L19	36	(((register\$1) near5 (unchang \$3 OR original \$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless \$2)) SAME ((secur\$3 OR protect\$3 OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:52

		restrict\$3 OR prohibit\$3) WITH (requir\$3 OR enabl\$3 OR indicat\$3))				
L20	3	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:53

4/ 11/ 2008 2:54:13 PM

C:\ Documents and Settings\ mkrofcheck\ My Documents\ Files from Applications
 \ 10764513\ 10764513.wsp